

# 2020

# PENDANTS



 **E LIGHTING**

# TERMS & CONDITIONS

1. **TERMS:** Net 30, date of invoice. Prices are F.O.B. from E-Lighting warehouse. All accounts subject to a late penalty of 1 1/2% per month on unpaid invoices that exceed 30 days but in no event higher than permitted by law in the State where the obligation is payable. Opening of new accounts and credit limits are subject to credit approval.
2. **ORDERS:** **Written or faxed** orders are required. Minimum quantity requirements may vary from product to product. Price subject to change without prior notice. Minimum order \$100.00 per shipment. Orders less than the minimum are subject to a \$10.00 additional fee.
3. **CUSTOM ORDERS:** A minimum 50% deposit will be required for designated custom or special-order product. These terms will apply to customer / special orders and may apply to standard items involving significant quantities. All custom / special orders require balance of payment prior to shipment.
4. **CANCELATIONS:** Orders for standard product may be canceled by customer only upon payment of all expenses already incurred and committed by E-Lighting. Orders canceled after the shipment has been processed is subject to a minimum 35% and up to 50% restocking fee and return freight charge. Products already ordered, special, and custom are non-cancelable and non-refundable.
5. **FREIGHT TERMS:** All orders shipped freight collect unless prior arrangements have been made. All prepaid shipments must be paid within terms or loss of freight allowance will occur. E-Lighting reserves the right to make shipments only to an account's listed business address and to select the carrier on all shipments.
6. **FREIGHT CLAIMS:** All freight claims for damages, shortages, and breakages, whether obvious or concealed, must be filed with freight carrier immediately. Shortage claims must be submitted to E-Lighting within 48 hours of receipt.
7. **RETURNS:** E Lighting is not responsible for merchandise not inspected at the time of delivery. No merchandise may be returned without prior authorization. Requests for return of product must be submitted to E-Lighting Customer Service by calling 1-855-500-8882. Upon receipt of Returned Merchandise Authorization ("RMA"), please pack merchandise carefully and indicate the RMA number on the carton(s). Product accepted by E-Lighting is subject to a minimum 35% and up to 50% restocking fee and return freight charge, except products considered by E-Lighting to be defective in material and workmanship. Special and custom order items are non-refundable. Unauthorized returns or freight collect returns will be refused. No authorization will be granted for return of product after 12 months from purchase date, except products considered by E-Lighting to be defective in material and workmanship.
8. **LEAD TIMES:** Manufactured products subject to a minimum 120-day lead time based on customer provided shipping schedule.
9. **ENGINEERING:** E-Lighting retains the right to modify the design of our products at any time as part of the Company's continuous improvement program.

## Limited Warranty ("Warranty"):

E-Lighting warrants to Buyer ("Buyer" shall mean the first non-dealer purchaser) that all manufactured products will be free from defects in workmanship and materials for the following warranty period, which shall begin on the date of shipment by E-Lighting (the "Warranty Period"): (i) Non-LED Products – one (1) year; (ii) Integrated LED Products – three (3) years; and LED Eclipse™ Product family – five (5) years based on normal operation. E-Lighting warrants that any standard finish on a product will be free from corrosion, peeling, cracking, and excessive fading during the application Warranty Period. Although E-Lighting uses the best available materials and does extensive testing for finish endurance, some fading, or chalking may occur and is considered normal. For coastal locations, some corrosion and / or deterioration is considered "normal wear" in this environment. Therefore, any finish claim due to coastal environmental conditions is not applicable to our warranty. E-Lighting's obligation is expressly limited to repair or replacement, without charge, provided that: (a) product(s) was (were) purchased from an authorized E-Lighting distributor; (b) E-Lighting was properly notified and consent for return was approved; (c) product(s) is (are) returned with proof of purchase date; and (d) product(s) is (are) found by E-Lighting to be defective upon inspection. E-Lighting's obligation under the Warranty Period shall not extend beyond the distributor's initial purchase price of the product. Any consequential damages or labor costs arising out of a defect, loss of profit, or any other expenses incidental to replacement are expressly excluded. The Warranty shall not apply to products that have been altered, improperly installed, overloaded, mishandled, fault or negligence, or misused. Excluded from the one (1) year warranty are all light bulbs, which are warranted to perform satisfactory to the industry standard burning hours rating, but in no event shall such Warranty exceed one (1) year from the date a product is purchased that includes light bulbs from E-Lighting. Also excluded from the one (1) year warranty are the HID and Fluorescents ballasts, which have a warranty from the manufacturer of the ballasts. E-Lighting will not accept any responsibility or liability on the ballasts whatsoever. Note: E-Lighting Warranty applies only to the purchases from authorized E-Lighting distributors. There are no warranties which extend beyond the description on the facer hereof including warranties of merchantability and fitness for a particular purpose. THIS WARRANTY IS VOID WITH RESPECT TO ANY PRODUCT IF THE PRODUCT IS NOT USED FOR THE PURPOSES FOR WHICH IT WAS DESIGNED OR IF ANY REPAIRS OR ALTERATIONS ARE MADE BY ANY PERSON NOT AUTHORIZED BY E-LIGHTING IN WIRTING.

# PENDANTS



## 2410

- Etched Opal glass shade
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 3.5" W x 7.25" H
- 5" Canopy
- Lamps Sold Separately



## 2412

- White Etched glass shade
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 7.25" W x 6.5" H
- Lamps Sold Separately



## 2414

- White Opal glass shade
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 4.75" W x 8" H
- Lamps Sold Separately



## 2416

- White Linen finished glass shade
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 4" W x 7.625" H
- Lamps Sold Separately



## 2418

- White glass shade
- Brushed Nickel, or Chrome
- Ceiling mount
- 1 Socket
- 4" W x 5.75" H
- Lamps Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Available Finishes (XX)	Kelvin	Lumens	CRI	Rated Hours
2410XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2412XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2414XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2416XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2418XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000

# BAR PENDANTS

## 2782

- Available finish: Brushed Nickel, or Chrome
- Clear Prismatic Glass
- 1 Socket
- 12.75" x 11" H
- Lamp Sold Separately



## 2780

- Available finish: Brushed Nickel, or Chrome
- Clear Prismatic Glass
- 1 Socket
- 9" W x 8" H
- Lamp Sold Separately



## 2866

- Available finish: Brushed Nickel, or Chrome
- Clear Outer Glass
- White Inner Glass
- 1 Socket
- 5" W x 9.5" H
- Lamp Sold Separately



## 2870

- Available finish: Brushed Nickel, or Chrome
- Translucent Outer Glass
- 1 Socket
- 10' Cord Included
- 3" W x 12" H
- Lamp Sold Separately



## 2120

- Available finish: Brushed Nickel, or Chrome
- Clear Outer Glass, White Inner Glass
- 1 Socket
- 10' Cord Included
- 5" W x 9" H
- Lamp Sold Separately



## 2121

- Available finish: Brushed Nickel, or Chrome
- Clear Outer Glass, White Inner Glass
- 1 Socket
- 10' Cord Included
- 5" W x 12" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Available Finishes (XX)	Kelvin	Lumens	CRI	Rated Hours
2780XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2782XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2120XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2121XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2866XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2870XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000

# BAR PENDANTS



## 2850

- Brushed Nickel, or Chrome
- Acid Etched Frost Glass
- Ceiling mount
- 1 Socket
- 5" W x 49.75" OAH
- Lamp Sold Separately



## 2860

- Brushed Nickel, or Chrome
- Alabaster Glass
- Ceiling mount
- 1 Socket
- 6.25" W x 49.75" OAH
- Lamp Sold Separately



## 2862

- Brushed Nickel, or Chrome
- Alabaster Glass
- Ceiling mount
- 1 Socket
- 5" W x 47" OAH
- Lamp Sold Separately



## 2864

- Brushed Nickel, or Chrome
- White Etched Glass
- Ceiling mount
- 1 Socket
- 7.5" W x 49.75" OAH
- Lamp Sold Separately



## 2868

- Brushed Nickel, or Chrome
- Opal Glass
- Ceiling mount
- 1 Socket
- 4" W x 10.5" H
- Lamp Sold Separately



## 2872

- Brushed Nickel, or Chrome
- White Etched Glass
- Ceiling mount
- 1 Socket
- 5.5" W x 7.75" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Available Finishes (XX)	Kelvin	Lumens	CRI	Rated Hours
2850 <del>XX</del> -E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2860 <del>XX</del> -E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2862 <del>XX</del> -E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2864 <del>XX</del> -E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2868 <del>XX</del> -E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2872 <del>XX</del> -E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000

# BAR PENDANTS



## 2900

Cream Glass

- Brushed Nickel, or Chrome
- Supplied with 10' cord
- Ceiling mount
- 1 Socket
- 4" W x 14" H
- Lamp Sold Separately



## 2902

White Opal Glass

## 2094

- Brushed Nickel, or Chrome
- White Etched Glass
- Ceiling mount
- 1 Socket
- 5.5" W x 7.5" H
- Lamp Sold Separately



## 2088

- Brushed Nickel, or Chrome
- White Opal Glass
- Ceiling mount
- 1 Socket
- 4" W x 12" H
- Lamp Sold Separately



## 2086

- Brushed Nickel, or Chrome
- White Opal Glass
- Ceiling mount
- 1 Socket
- 5" W x 7" H
- Lamp Sold Separately



## 2082

- Brushed Nickel, or Chrome
- Satin Etched Opal Glass
- Ceiling mount
- 1 Socket
- 6" W x 8" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Available Finishes (XX)	Kelvin	Lumens	CRI	Rated Hours
2082XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2086XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2088XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2094XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2900XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2902XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000

# BAR PENDANTS



## 2138

- Available finish: Brushed Nickel, or Chrome
- Hand blown art glass
- Ceiling mount
- 1 Socket
- 4.5" W x 6.5" H
- Lamp Sold Separately



## 2803

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Tuscan Scavo Glass
- Ceiling mount
- 1 Socket
- 6.25" W x 5" H
- Lamp Sold Separately



## 2802

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- Ceiling mount
- 1 Socket
- 6" W x 5" H
- Lamp Sold Separately



## 2805

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- Ceiling mount
- 1 Socket
- 6.25" W x 5" H
- Lamp Sold Separately

Item Number	Socket	Lamp Type	Wattage	Recommended Lamp	Voltage	Available Finishes (XX)	Kelvin	Lumens	CRI	Rated Hours
2802XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2803XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2805XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000
2138XX-E26	E26	LED	10 Watt	ADR-L7593-3-3000K	120	BN, CH, ORB	30K	800LM	80	15,000

# PENDANTS

# 2020



 **E LIGHTING**